

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S104	9	((("5813001") or ("5829004") or ("6067540") or ("6064999") or ("5560007") or ("5761652") or ("5987457") or ("6081804") or ("5852821")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/05 14:26
S106	64	(database or table) and (query\$3 same union same retriev\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 14:56
S107	10638	707/1-6.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/05 14:28
S137	95	(query\$3 or search\$3 or retriev\$4 or select) same union same parameter\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/06 10:29
S139	1	"6253188".pn. and radix	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/06 11:49
S140	11	radix same greates\$4 same parameter\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/06 11:50
S144	62	((table\$1 or tuple\$1) and radix).ab. ti. and (great\$4 same parameter\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/06 12:37
S145	12	(radix same great\$4 same parameter\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/06 12:39
S146	7	(radix same (great\$4 or equal) same (selection\$1 or option\$1) same parameter\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/06 13:37
S147	211	(digit\$1 same parameter\$1 same configuration)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/06 13:40
S150	56	digit\$1 same parameter\$1 same configuration same identifi\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/06 13:40
S151	7	radix same identifi\$6 same parameter\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 11:28

S15 3	1	equation\$1 same identifi\$6 same parameter\$1 same radix	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 11:30
S15 4	12	equation\$1 same parameter\$1 same radix	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 12:05
S15 5	6	equation\$1 same identifi\$6 same radix	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:58
S15 6	137	708/408,519,542,673.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 12:06
S15 7	931	equation\$1 same identifi\$6 same (radix or R)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:57
S15 8	1	S156 and S157	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:25
S15 9	394	exponent same minus	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:29
S16 0	19	equation same exponent same minus	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:28
S16 1	1	S160 and radix	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:28
S16 2	4	identifi\$6 same exponent same minus	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:30
S16 3	454	identifi\$6 same exponent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:30
S16 4	86	S163 and minus	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:30

S16 6	30316	"705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:31
S16 7	7	S164 and (S165 or S166) and minus	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:36
S17 0	88	S163 and (S164 or S165)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:37
S17 1	82	S170 and @ay <= "2001"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:37
S17 2	24	S163 and (S165 or S166)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:38
S17 3	7	S172 and minus	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:43
S17 4	80	S164 and @ay <="2001"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:53
S17 5	3073	equation\$1 same (identifier or identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:59
S17 6	2	exponent same (identifier or identification) same minus	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:59
S17 7	150	exponent same (identifier or identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:59
S17 8	126	S177 and @ay <= "2001"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:59
S17 9	62	exponent with (identifier or identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 13:59

S18 0	51	S179 and @ay <= "2001"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 14:00
S18 1	10	S180 and radix	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 14:00
S18 2	11037	parameter\$1 with (blank or symbol or special)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 15:53
S18 6	6	S182 and S183 and S185	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 15:53
S18 7	93	S184 and @ay < "2001"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 15:52
S18 8	516	S182 and (S183 or S185)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 15:53
S18 9	240	S188 and @ay < "2001"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 15:53
S19 0	28	parameter\$1 with (blank or symbol or special) same invalid	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 15:55
S19 1	23712	"707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 15:55
S19 2	2	S190 and S191	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/07 15:55
S19 3	11	radix same parameter\$1 same greate\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 08:20
S19 4	33	radix same greate\$3 same (parameter\$1 or option\$1 or field\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 08:19

S19 5	4	radix same greater\$3 same parameter\$1 same (option\$1 or field\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 08:20
S19 7	62	exponent with (identifier or identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:37
S19 8	51	S197 and @ay <= "2001"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:37
S19 9	10	S198 and minus	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:38
S20 0	2	exponent with (identifier or identification) same (minus or -)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/08 09:38